



Koldtvalsede plader  
Glødede og bejdsede, overflade 2B / 2B folie en side  
Cold rolled sheets  
Annealed and pickled, surface 2B / 2B coated one side

Tol.: ISO 9445  
Cert.: EN 10204/3.1

Dim.	Kg/ stk/pc	EN 1.4301/7		1.4404	1.4509	1.4301/7		1.4404	1.4301/7
		folie 1 side/one side coated		uden papir/no paper					
		Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.
2000 x 1000 x 0,50	8,00	● 05000	▶ 05001						
2500 x 1250	12,50	● 05002	▶ 05003						
2000 x 1000 x 0,60	9,60	● 05004	▶ 05005						
2500 x 1250	15,00	▶ 05006	▶ 05007						
2000 x 1000 x 0,70	11,20	● 05008	● 05009						
2500 x 1250	17,50	● 05010	● 05011						
2000 x 1000 x 0,80	12,80	● 05012	● 05013			▶ 14019			
2500 x 1250	20,00	● 05014	▶ 05015			● 34194			
2000 x 1000 x 0,90	14,40	▶ 05016	▶ 05017						
2500 x 1250	22,50	▶ 05018	▶ 05019						
2000 x 1000 x 1,00	16,00	● 05022	● 05023			● 14001	● 14084	▶ 33144	
3000 x 1000	24,00	▶ 05024	▶ 05025						
2500 x 1250	25,00	● 05026	● 05027	▶ 750013		● 14002		● 33149	
3000 x 1250	30,00	▶ 05028	▶ 05029						
3000 x 1500	36,00	● 05030	● 05031			● 14003		● 33154	
2000 x 1000 x 1,20	19,20	● 05032	● 05033			● 14085		▶ 33145	
2500 x 1250	30,00	● 05034	● 05035			● 14075		● 33150	
3000 x 1250	36,00	▶ 05235	▶ 11026						
3000 x 1500	43,20	● 05036	▶ 05037			● 14076		● 33155	
2000 x 1000 x 1,50	24,00	● 05038	● 05039			● 14004	● 14077	▶ 33146	
2500 x 1250	37,50	● 05042	● 05043	▶ 750014		● 14005	● 14078	● 33151	
3000 x 1000	36,00	● 05040	▶ 05041						
3000 x 1250	45,00	● 05044	▶ 05045						
3000 x 1500	54,00	● 05046	● 05047			● 14006	● 14079	▶ 33156	
4000 x 2000	96,00	● 31693				● 31694			
2000 x 1000 x 2,00	32,00	● 05048	● 05049			● 14007	● 14080	▶ 33147	
3000 x 1000	48,00	▶ 05050	▶ 05051						
2500 x 1250	50,00	● 05052	● 05053	▶ 750015		● 14008	● 14073	● 33152	
3000 x 1250	60,00	● 05054	▶ 05055						
3000 x 1500	72,00	● 05056	● 05057			● 14009	● 14074	● 33157	
4000 x 1500	96,00	▶ 26850	▶ 26858			▶ 26870			
4000 x 2000	128,00	● 26852	● 26860			● 26871	● 26877		
2000 x 1000 x 2,50	40,00	● 05058	● 05059			● 14010			
2500 x 1250	62,50	● 05060	● 05061			● 14011	● 14087		
3000 x 1500	90,00	● 05062	● 05063			● 14012	● 14088		
4000 x 2000	160,00	● 26853	▶ 26861			● 26872	● 26878		
2000 x 1000 x 3,00	48,00	● 05064	● 05065			● 14013	● 14081	▶ 33148	
3000 x 1000	72,00	● 05066	▶ 05067						
2500 x 1250	75,00	● 05068	● 05069			● 14014	● 14082	● 33153	
3000 x 1250	90,00	● 05070	▶ 05071						
3000 x 1500	108,00	● 05072	● 05073			● 14015	● 14083	▶ 33158	
4000 x 1500	144,00	▶ 26851	▶ 26859						
4000 x 2000	192,00	● 26854	● 26862			● 26873	● 26879		

fortsættes på næste side / continued on the next page

Koldtvalsede plader  
 Glødede og bejdsede, overflade 2B / 2B folie en side  
 Cold rolled sheets  
 Annealed and pickled, surface 2B / 2B coated one side

Tol.: ISO 9445  
 Cert.: EN 10204/3.1

Dim.	Kg/ stk/pc	EN 1.4301/7		1.4404		1.4301/7 folie 1 side/coated one side		1.4404	
		Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.	Varenr. Article no.
2000 x 1000 x 4,00	64,00	● 05074	● 05075						
2500 x 1250	100,00	● 05076	● 05077		● 14086				
3000 x 1500	144,00	● 05078	● 05079		● 32482				
4000 x 2000	256,00	● 26855	● 26863		● 26874		● 26880		
2000 x 1000 x 5,00	80,00	● 05080	● 05081		▶ 14017				
2500 x 1250	125,00	● 05082	● 05083		▶ 14018				
3000 x 1500	180,00	● 05084	● 05085						
4000 x 2000	320,00	● 26856	● 26864		● 26875		● 26881		
2000 x 1000 x 6,00	96,00	● 05086	● 05087						
2500 x 1250	150,00	● 05088	● 05089						
3000 x 1500	216,00	● 05090	● 05091						
4000 x 2000	384,00	● 26857	● 26865		● 26876		● 26882		
2000 x 1000 x 8,00	128,00	● 19531							
2500 x 1250	200,00	● 19532							
3000 x 1500	288,00	● 19533	● 32446						

*Koldtvalsede plader*  
*Slebne/Scotch Brite børstede, 1 side med folie*  
*Cold rolled sheets*  
*Polished/brushed type Scotch Brite, coated one side*

*Tol.: ISO 9445*  
*Cert.: EN 10204/3.1*

Dim.	Kg/ stk/pc	EN 1.4301/7 Slebne/Polished 240	1.4301/7 Scotch Brite børstede/brushed type	1.4016 Scotch Brite
		Varenr. Article no.	Varenr. Article no.	Varenr. Article no.
2000 x 1000 x 0,70	11,20	● 05092	● 19500	
2500 x 1250	17,50	● 05251	● 19501	
2000 x 1000 x 0,80	12,80	● 05094	● 19502	
2500 x 1250	20,00	● 05096	● 19503	● 32516
2000 x 1000 x 1,00	16,00	● 05098	● 19504	
3000 x 1000	24,00	▶ 05100		
2500 x 1250	25,00	● 05102	● 19505	● 32517
3000 x 1250	30,00	● 05104	● 19506	
3000 x 1500	36,00	● 05217	● 19507	
2000 x 1000 x 1,20	19,20	● 05106	● 19508	
3000 x 1000	28,80	▶ 22064		
2500 x 1250	30,00	● 05108	● 19509	
3000 x 1250	36,00	● 05252		
3000 x 1500	43,20	● 14016	● 19510	
2000 x 1000 x 1,50	24,00	● 05112	● 19511	
2500 x 1250	37,50	● 05114	● 19512	● 32518
3000 x 1250	45,00	▶ 05116	● 19513	
3000 x 1500	54,00	● 05118	● 19514	
2000 x 1000 x 2,00	32,00	● 05120	● 19515	
2500 x 1250	50,00	● 05122	● 19516	● 32519
3000 x 1250	60,00	● 05124		
3000 x 1500	72,00	● 05126	● 19517	
4000 x 2000	128,00	● 31295		
2000 x 1000 x 2,50	40,00	● 05219		
2500 x 1250	62,50	● 05236		
3000 x 1500	90,00	● 05334		
2000 x 1000 x 3,00	48,00	● 05128	● 19518	
2500 x 1250	75,00	● 05130	● 19519	
3000 x 1500	108,00	● 05132	● 19520	
2000 x 1000 x 4,00	64,00	● 05134	▶ 05135	
2500 x 1250	100,00	● 15262		
3000 x 1500	144,00	● 05136	▶ 05137	
3000 x 1500 x 5,00	180,00	● 05253		
2500 x 1250 x 6,00	150,00	● 05138	▶ 05139	

Koldtvalsede plader  
 Slebne 1 side, Ra 0,55 +/- 0,15 my, med laserfolie 1 side  
 Cold rolled sheets  
 Ground, Ra 0,55 +/- 0,15 my, coated with laser film one side

Tol.: ISO 9445  
 Cert.: EN 10204/3.1

Dim.	Kg/ stk/pc	EN 1.4301/7	
		Varenr. Article no.	1.4404 Varenr. Article no.
2500 x 1250 x 1,00	25,0	● 15150	● 15210
3000 x 1500 x 1,00	36,0	● 15165	● 32837
2500 x 1250 x 1,20	30,0	● 15153	
3000 x 1500 x 1,20	43,2	● 15167	
2500 x 1250 x 1,50	37,5	● 15155	● 15190
3000 x 1500 x 1,50	54,0	● 15157	● 15194
2500 x 1250 x 2,00	50,0	● 15159	● 15189
3000 x 1500 x 2,00	72,0	● 15161	● 15193

Koldtvalsede plader  
 Blankglødede, overflade 2R, med folie 1 side  
 Cold rolled sheets  
 Bright annealed, surface 2R, coated one side

Tol.: ISO 9445  
 Cert.: EN 10204/3.1

Dim.	Kg/ stk/pc	EN 1.4301	
		Varenr. Article no.	
2000 x 1000 x 0,70	11,20	▶ 15105	
2500 x 1250 x 0,70	17,50	▶ 15106	
2000 x 1000 x 0,80	12,80	● 15107	
2500 x 1250 x 0,80	20,00	● 15108	
2000 x 1000 x 1,00	16,00	● 05141	
2500 x 1250 x 1,00	25,00	● 05142	
3000 x 1500 x 1,00	36,00	● 15211	
2000 x 1000 x 1,20	19,20	● 15183	
2500 x 1250 x 1,20	30,00	● 05143	
2000 x 1000 x 1,50	24,00	● 05239	
2500 x 1250 x 1,50	37,50	● 05240	
3000 x 1500 x 1,50	54,00	● 15212	
2500 x 1250 x 2,00	50,00	● 05242	

*Koldtvalsede plader*  
*Mønstervalsede, blankglødede, overflade 2R, med folie 1 side*  
*Cold rolled sheets*  
*Textured, brushed, surface 2R, coated one side*

*Tol.: ISO 9445*  
*Cert.: EN 10204/3.1*

Dim.	Kg/ stk/pc	EN 1.4301/7 Type 5WL	1.4301/7 Type 7GM
		Varenr. Article no.	Varenr. Article no.
2000 x 1000 x 1,00	16,00	▶ 05144	● 750006
2500 x 1250	25,00	● 750003	▶ 820000
2000 x 1000 x 1,20	19,20	▶ 05241	● 750007
2000 x 1000 x 1,50	24,00	● 750004	● 750008
2500 x 1250	37,50	● 750005	▶ 820000

*Tol.: ASTM A240/480*  
*Cert.: EN 10204/3.1*

*Koldtvalsede plader*  
*Spejlpolerede no. 8, med 2 lag 100 mic. folie en side*  
*Cold rolled sheets*  
*Mirror polished, finish no. 8, with double 100 mic. film on one side*

Dim.	Kg/ stk/pc	AISI 304
		Varenr. Article no.
2500 x 1219 x 1,00	24,50	● 750001
2500 x 1219 x 1,50	36,60	● 750002
2500 x 1219 x 2,00	48,80	● 750009

Varmtvalsede båndplader  
 Glødede og bejdsede, overflade 1D  
 Hot rolled plates  
 Annealed and pickled, surface 1D

Tolerance: EN 10051  
 Cert.: EN 10204/3.1

Dim.	Kg/ stk/pc	EN 1.4301/7	
		Varenr. Article no.	Varenr. Article no.
2000 x 1000 x 3,00	48,00	● 05146	● 05147
2500 x 1250	75,00	● 05148	▶ 05149
3000 x 1500	108,00	● 05150	▶ 05151
2000 x 1000 x 4,00	64,00	● 05152	● 05153
2500 x 1250	100,00	● 05154	● 05155
3000 x 1500	144,00	● 05156	● 05157
4000 x 2000	256,00	▶ 17319	
2000 x 1000 x 5,00	80,00	● 05158	● 05159
2500 x 1250	125,00	● 05160	● 05161
3000 x 1500	180,00	● 05162	● 05163
4000 x 2000	320,00	● 17300	● 17320
2000 x 1000 x 6,00	96,00	● 05164	● 05165
2500 x 1250	150,00	● 05166	● 05167
3000 x 1500	216,00	● 05168	● 05169
4000 x 2000	384,00	● 17301	● 17321
2000 x 1000 x 8,00	128,00	● 05170	● 05171
2500 x 1250	200,00	● 05172	● 05173
3000 x 1500	288,00	● 05174	● 05175
4000 x 2000	512,00	● 17302	● 17322
2000 x 1000 x 10,00	160,00	● 05176	● 05177
2500 x 1250	250,00	● 05178	● 05179
3000 x 1500	360,00	● 05180	● 05181
4000 x 2000	640,00	● 17303	● 17306
2000 x 1000 x 12,00	192,00	● 05182	● 05183
2500 x 1250	300,00	● 05184	● 05185
3000 x 1500	432,00	● 05337	● 05332
4000 x 2000	768,00	● 17304	● 17307

Varmtvalsede quartoplader  
Glødede og bejdsede, overflade 1D  
Hot rolled plates  
Annealed and pickled, surface 1D

Tolerance: EN 10029 KL. B  
Cert.: EN 10204/3.1

Dim.	Kg/ stk/pc	EN 1.4301/7	
		Varenr. Article no.	Varenr. Article no.
2000 x 1000 x 15,00	250,00	● 15220	● 15230
2500 x 1250	390,00	● 15265	● 15271
3000 x 1500	562,00	● 15232	● 15284
4000 x 2000	988,80	● 15500	● 15501
6000 x 2000	1483,20	▶ 15600	▶ 15610
2000 x 1000 x 20,00	333,00	● 15221	● 15231
2500 x 1250	520,00	● 15266	● 15248
3000 x 1500	749,00	● 15247	● 15285
4000 x 2000	1280,00	● 15502	● 15503
6000 x 2000	1977,60	▶ 15601	▶ 15611
2000 x 1000 x 25,00	412,00	● 15233	● 05301
2500 x 1250	644,00	● 15267	● 15272
3000 x 1500	927,00	● 15280	● 15286
4000 x 2000	1648,00	● 15504	● 15505
6000 x 2000	2472,00	▶ 15602	▶ 15612
2000 x 1000 x 30,00	494,00	● 15277	● 05303
2500 x 1250	773,00	▶ 15268	▶ 15273
3000 x 1500	1112,40	● 15281	● 15287
4000 x 2000	1977,60	● 15506	● 15507
6000 x 2000	2966,40	▶ 15603	▶ 15613
3000 x 1500 x 35,00	1297,00	▶ 33005	● 05280
2000 x 1000 x 40,00	659,20	● 15275	● 15276
2500 x 1250	1030,00	▶ 15269	▶ 15222
3000 x 1500	1483,20	● 15282	● 15288
2000 x 1000 x 50,00	824,00	● 15290	● 15291
2500 x 1250	1287,50	▶ 15292	▶ 15293
3000 x 1500	1854,00	▶ 15283	● 15289

Varmtvåsedede tåreplader  
 Glødede og bejdsede  
 Hot rolled floor plates  
 Annealed and pickled

Tolerance: DIN 59220  
 Cert.: EN 10204/2.2

Dim.	Kg/ stk/pc	EN 1.4301/7	1.4404
		Varenr. Article no.	Varenr. Article no.
2000 x 1000 x 3,0/ 4,5	52,00	● 15294	▶ 05188
2500 x 1250	81,50	● 15296	
3000 x 1000	78,00	● 14000	
3000 x 1250	97,00	● 14099	
2000 x 1000 x 4,5/ 6,0	76,00	● 15295	▶ 05194
2500 x 1250	119,00	● 15297	▶ 05197
3000 x 1250	142,50	● 15298	▶ 05200
3000 x 1500	171,00	● 32345	
2000 x 1000 x 6,0/ 8,0	110,00	▶ 05201	▶ 05203
3000 x 1000	165,00	▶ 05204	▶ 05206
3000 x 1250	206,25	▶ 05207	▶ 05209
3000 x 1000 x 8,0/ 10,0	207,00	▶ 05213	▶ 05215