



Sømløse stålør
Koldt- eller varmttrukne, glødede og bejdsede eller blankglødet
Seamless steel tubes
Cold or hot finished, annealed and pickled or bright annealed

Tol.: EN 10216-5, EN 10305-1, ISO 1127,
ASTM A312, ANSI B 36.19
Cert.: EN 10204/3.1

| Dim. | Kg/m | EN | | | | |
|--------------|------|------------------------|------------------------|------------------------|------------------------|------------------------|
| | | 1.4301/7 | 1.4541 | 1.4404 | 1.4571 | 1.4435 |
| | | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. |
| 4,00 x 1,00 | 0,08 | | ● 00003 | | ● 00006 | |
| 5,00 x 1,00 | 0,10 | | ● 00009 | | ● 00012 | |
| 6,00 x 1,00 | 0,13 | ● 19100 | ● 00015 | ● 19150 | ● 00018 | |
| 1,50 | 0,17 | ● 00019 | | ● 19172 | ● 00023 | |
| 2,00 | 0,20 | ● 00024 | | | | |
| 8,00 x 1,00 | 0,18 | ● 19101 | ● 00032 | ● 19151 | ● 00035 | |
| 1,50 | 0,24 | ● 19102 | ● 00038 | ● 19152 | ● 00041 | |
| 2,00 | 0,30 | | ● 00044 | | ● 00047 | |
| 9,00 x 1,00 | 0,20 | ● 00048 | | | | |
| 10,00 x 1,00 | 0,23 | ● 19103 | ● 00062 | ● 19153 | ● 00065 | |
| 1,50 | 0,32 | ● 19104 | ● 00068 | ● 19154 | ● 00071 | |
| 2,00 | 0,40 | ● 19129 | ● 00074 | ● 19155 | ● 00077 | |
| 2,50 | 0,47 | ● 19130 | | | | |
| 10,20 x 2,00 | 0,41 | ● 00090 | | | ● 00095 | |
| 12,00 x 1,00 | 0,28 | ● 19105 | ● 00104 | ● 19156 | ● 00107 | |
| 1,50 | 0,39 | ● 19106 | ● 00110 | ● 19157 | ● 00113 | |
| 2,00 | 0,50 | ● 19107 | ● 00116 | ● 19158 | ● 00119 | |
| 3,00 | 0,68 | ● 30622 | | | | |
| 13,00 x 1,00 | 0,30 | | | | ● 00125 | |
| 1,50 | 0,43 | ● 00126 | | | | |
| 13,50 x 1,60 | 0,48 | | ● 00146 | | | |
| 2,30 | 0,65 | ● 00160 | ● 00162 | | ● 00165 | |
| 14,00 x 1,00 | 0,33 | ● 00178 | | | ● 00183 | |
| 1,50 | 0,47 | ● 00184 | | | ● 00190 | |
| 2,00 | 0,60 | ● 19108 | ● 00193 | | ● 00196 | |
| 2,50 | 0,72 | ● 00197 | | | ● 00202 | |
| 3,00 | 0,83 | ● 00203 | | | ● 00208 | |
| 15,00 x 1,00 | 0,35 | ● 00209 | | | ● 00214 | |
| 1,50 | 0,51 | ● 19109 | | ● 19159 | ● 00220 | |
| 2,00 | 0,65 | ● 19110 | ● 00223 | ● 19160 | ● 00226 | |
| 16,00 x 1,00 | 0,38 | ● 00227 | | | ● 01468 | |
| 1,50 | 0,55 | ● 19111 | | ● 19173 | ● 00238 | |
| 2,00 | 0,70 | ● 19112 | ● 00241 | ● 19161 | ● 00244 | |
| 2,50 | 0,85 | ● 00245 | ● 00246 | | ● 00249 | |
| 3,00 | 0,98 | | ● 00252 | | ● 00256 | |
| 17,20 x 2,00 | 0,76 | | ● 00314 | | | |
| 2,30 | 0,86 | ● 00318 | | | ● 00323 | |
| 18,00 x 1,00 | 0,43 | ● 00324 | | | ● 00329 | |
| 1,50 | 0,62 | ● 19113 | ● 00332 | ● 19162 | ● 00335 | ● 00334 |
| 2,00 | 0,80 | ● 19114 | ● 00338 | ● 19174 | ● 00341 | |
| 2,50 | 0,97 | | | | ● 00347 | |
| 3,00 | 1,13 | | | | ● 29765 | |
| 4,00 | 1,40 | | | | ● 29766 | |

fortsættes på næste side / continued on the next page

Sømløse stålrør
Koldt- eller varmttrukne, glødede og bejsede eller blankglødet
Seamless steel tubes
Cold or hot finished, annealed and pickled or bright annealed

Tol.: EN 10216-5, EN 10305-1, ISO 1127,
ASTMA312, ANSI B 36.19
Cert.: EN 10204/3.1

| Dim. | Kg/m | EN 1.4301/7 | 1.4541 | 1.4404 | 1.4571 | 1.4435 |
|--------------|------|------------------------|------------------------|------------------------|------------------------|------------------------|
| | | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. |
| 19,05 x 1,65 | 0,72 | ● 00354 | | | | |
| 20,00 x 1,00 | 0,48 | ● 00366 | | | ● 00371 | |
| 1,50 | 0,70 | | ● 00374 | | ● 00377 | |
| 2,00 | 0,90 | ● 19116 | ● 00380 | ● 19163 | ● 00383 | |
| 2,50 | 1,10 | ● 00384 | ● 00386 | ● 19164 | ● 29839 | |
| 3,00 | 1,28 | ● 00390 | ● 00392 | | ● 00395 | |
| 4,00 | 1,60 | | ● 00398 | | | |
| 5,00 | 1,88 | | ● 29807 | | | |
| 21,30 x 2,00 | 0,97 | ● 00408 | ● 00410 | | ● 00413 | |
| 2,60 | 1,22 | ● 00414 | ● 00416 | | ● 00419 | ● 00418 |
| 2,90 | 1,34 | | ● 0422 | | ● 00425 | |
| 3,20 | 1,45 | ● 00426 | ● 00428 | | ● 00431 | |
| 21,34 x 2,11 | 1,02 | | | | ● 29758 | |
| 3,73 | 1,65 | | ● 29808 | | ● 29752 | |
| 22,00 x 1,00 | 0,53 | ● 00463 | | | | |
| 1,50 | 0,77 | ● 19117 | ● 00471 | | ● 00474 | |
| 2,00 | 1,00 | ● 19118 | ● 00477 | ● 19165 | ● 00480 | |
| 3,00 | 1,43 | | ● 00483 | | ● 00486 | |
| 4,00 | 1,80 | ● 00487 | | | ● 00492 | |
| 24,00 x 2,00 | 1,10 | | | | ● 00516 | |
| 4,00 | 2,00 | ● 00523 | | | | |
| 25,00 x 1,00 | 0,60 | ● 00529 | ● 00531 | | ● 00534 | |
| 1,50 | 0,88 | ● 19131 | | | | |
| 2,00 | 1,15 | ● 19119 | ● 00543 | ● 19166 | ● 00546 | |
| 2,50 | 1,41 | ● 19120 | ● 00549 | ● 19167 | ● 00552 | |
| 3,00 | 1,65 | ● 00553 | ● 00555 | ● 19168 | ● 00558 | |
| 4,00 | 2,10 | | ● 00573 | | | |
| 5,00 | 2,50 | ● 29794 | | | | |
| 26,67 x 2,87 | 1,71 | | ● 29809 | | | |
| 3,91 | 2,23 | | ● 29810 | | ● 29753 | |
| 5,54 | 2,93 | | | | ● 32591 | |
| 26,90 x 2,00 | 1,25 | ● 00613 | ● 00615 | | ● 29754 | |
| 2,30 | 1,42 | | | | ● 00624 | |
| 2,60 | 1,58 | ● 00625 | ● 00627 | | ● 00630 | |
| 3,20 | 1,90 | ● 00631 | ● 00633 | | ● 00636 | |
| 27,00 x 3,50 | 2,06 | ● 00649 | | | | |
| 28,00 x 1,00 | 0,68 | | ● 00664 | | | |
| 1,50 | 1,00 | ● 00668 | | ● 19169 | ● 00674 | |
| 2,00 | 1,30 | ● 19121 | ● 00677 | | ● 00680 | |
| 2,50 | 1,60 | ● 19122 | | ● 33219 | | |
| 3,00 | 1,88 | | ● 00689 | ● 19175 | | |
| 5,00 | 2,88 | ● 00693 | | | ● 00698 | |
| 30,00 x 1,00 | 0,73 | ● 00705 | | | | |

fortsættes på næste side / continued on the next page

Sømløse stålør
Koldt- eller varmttrukne, glødede og bejdsede eller blankglødet
Seamless steel tubes
Cold or hot finished, annealed and pickled or bright annealed

Tol.: EN 10216-5, EN 10305-1, ISO 1127,
ASTM A312, ANSI B 36.19
Cert.: EN 10204/3.1

| Dim. | Kg/m | EN | 1.4301/7 | 1.4541 | 1.4404 | 1.4571 | 1.4435 |
|--------------|------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| | | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. |
| 30,00 x 1,50 | 1,07 | ● 00711 | | | | ● 00716 | |
| 2,00 | 1,40 | ● 00717 | ● 00719 | | | ● 00722 | ● 00721 |
| 2,60 | 1,78 | ● 00723 | | | | ● 00728 | |
| 3,00 | 2,03 | ● 19123 | | ● 19170 | | ● 00734 | |
| 4,00 | 2,60 | | ● 29811 | | | ● 29755 | |
| 5,00 | 3,13 | ● 00741 | ● 00743 | | | ● 00746 | |
| 32,00 x 1,50 | 1,15 | ● 00765 | | | | | |
| 2,00 | 1,50 | ● 00771 | ● 00773 | | | ● 00776 | |
| 3,00 | 2,18 | ● 00783 | | | | ● 00788 | |
| 33,40 x 4,55 | 3,29 | | | | | ● 29757 | |
| 33,70 x 2,00 | 1,59 | ● 00837 | ● 00839 | | | ● 00842 | ● 00841 |
| 2,60 | 2,03 | ● 00843 | ● 00845 | | | ● 00848 | |
| 2,90 | 2,24 | | ● 00851 | | | ● 00854 | |
| 3,20 | 2,44 | ● 00855 | ● 00857 | | | ● 00860 | ● 00859 |
| 4,05 | 3,01 | ● 00867 | | | | ● 00872 | |
| 34,00 x 2,00 | 1,60 | ● 00885 | | | | | |
| 5,50 | 3,93 | ● 00903 | | | | | |
| 35,00 x 2,00 | 1,65 | ● 00921 | ● 00923 | | | ● 00926 | |
| 2,50 | 2,04 | ● 19132 | | | | | |
| 3,00 | 2,40 | ● 19124 | | ● 19176 | | | |
| 4,00 | 3,11 | ● 29795 | | | | | |
| 36,00 x 2,00 | 1,70 | ● 00939 | | | | ● 00944 | |
| 38,00 x 1,50 | 1,37 | ● 00951 | | | | ● 00956 | |
| 2,00 | 1,80 | | ● 00959 | | | | |
| 2,60 | 2,31 | ● 00963 | ● 00965 | | | ● 00968 | |
| 3,00 | 2,63 | ● 19125 | ● 00971 | ● 19177 | | ● 00974 | |
| 4,00 | 3,41 | ● 19126 | ● 00983 | ● 19178 | | ● 00986 | |
| 5,00 | 4,13 | | ● 00989 | | | ● 00992 | |
| 40,00 x 1,00 | 0,98 | ● 01606 | | | | | |
| 1,50 | 1,45 | ● 01612 | | | | | |
| 2,00 | 1,90 | ● 01618 | | | | ● 01623 | |
| 2,50 | 2,35 | ● 01624 | | | | | |
| 3,00 | 2,78 | ● 01630 | | | | ● 01635 | |
| 5,00 | 4,38 | ● 01636 | ● 01638 | | | ● 01641 | |
| 42,00 x 2,00 | 2,00 | | | | | ● 01659 | |
| 3,00 | 2,93 | ● 19127 | | ● 19179 | | ● 01665 | |
| 42,16 x 4,85 | 4,53 | | ● 29829 | | | | |
| 42,40 x 2,00 | 2,02 | ● 01714 | ● 01716 | | | ● 01719 | ● 01718 |
| 2,60 | 2,59 | ● 01720 | ● 01722 | | | ● 01725 | |
| 3,20 | 3,14 | ● 01726 | ● 01728 | | | ● 01731 | |
| 4,05 | 3,89 | ● 01732 | | | | ● 01737 | |
| 44,50 x 2,00 | 2,13 | ● 01762 | | | | ● 01767 | |
| 2,60 | 2,73 | ● 01774 | | | | | |

fortsættes på næste side / continued on the next page

Sømløse stålrør

Koldt- eller varmttrukne, glødede og bejsede eller blankglødet

Seamless steel tubes

Cold or hot finished, annealed and pickled or bright annealed

Tol.: EN 10216-5, EN 10305-1, ISO 1127,
ASTM A312, ANSI B 36.19

Cert.: EN 10204/3.1

| Dim. | Kg/m | EN | 1.4301/7 | 1.4541 | 1.4404 | 1.4571 | 1.4435 |
|--------------|------|----|------------------------|------------------------|------------------------|------------------------|------------------------|
| | | | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. |
| 44,50 x 2,60 | 2,73 | | ● 01774 | | | | |
| 2,90 | 3,02 | | ● 01780 | | | | |
| 5,50 | 5,37 | | ● 01798 | | | | |
| 48,26 x 5,08 | 5,49 | | | ● 29814 | | ● 29769 | |
| 48,30 x 2,00 | 2,32 | | ● 01875 | ● 01877 | | ● 01880 | ● 01879 |
| 2,60 | 2,98 | | ● 01881 | ● 01883 | | ● 01886 | ● 01885 |
| 3,20 | 3,61 | | ● 01893 | ● 01895 | | ● 01898 | ● 01897 |
| 4,05 | 4,49 | | ● 01899 | ● 01901 | | ● 01904 | |
| 50,00 x 1,50 | 1,82 | | ● 01911 | | | | |
| 2,00 | 2,40 | | ● 01917 | | | | |
| 2,50 | 2,97 | | ● 01923 | | | | |
| 3,00 | 3,53 | | ● 01929 | | | | |
| 5,00 | 5,63 | | ● 01935 | | | | |
| 6,00 | 6,61 | | ● 01941 | | | | |
| 51,00 x 2,60 | 3,15 | | ● 01971 | | | ● 01976 | |
| 4,00 | 4,71 | | | ● 01985 | | | |
| 52,00 x 2,00 | 2,50 | | ● 02001 | | | | |
| 54,00 x 2,00 | 2,60 | | ● 02044 | ● 02046 | | ● 02049 | |
| 3,00 | 3,83 | | ● 02050 | | | | |
| 55,00 x 2,50 | 3,29 | | | | | | ● 02066 |
| 5,00 | 6,26 | | ● 02068 | | | | |
| 57,00 x 2,00 | 2,75 | | | | | ● 02079 | |
| 2,90 | 3,93 | | ● 02092 | ● 02094 | | ● 02097 | |
| 4,00 | 5,31 | | | | | ● 02109 | |
| 5,00 | 6,51 | | | ● 02118 | | | |
| 6,50 | 8,22 | | | | | ● 02127 | |
| 60,00 x 5,00 | 6,89 | | ● 02134 | ● 02136 | | ● 02139 | |
| 60,30 x 2,00 | 2,92 | | ● 02140 | ● 02142 | | ● 02145 | |
| 2,60 | 3,76 | | ● 02152 | | | ● 02157 | |
| 2,77 | 3,99 | | | ● 02190 | | ● 29771 | |
| 2,90 | 4,17 | | ● 02158 | ● 02160 | | ● 02163 | |
| 3,20 | 4,58 | | | | | ● 02169 | |
| 3,60 | 5,11 | | ● 02170 | ● 02172 | | ● 02175 | |
| 3,91 | 5,52 | | | ● 29815 | | ● 29772 | |
| 4,50 | 6,29 | | | ● 02178 | | ● 02181 | |
| 5,54 | 7,60 | | | ● 29816 | | ● 29773 | |
| 63,50 x 2,60 | 3,97 | | ● 02236 | | | ● 02241 | |
| 64,00 x 2,00 | 3,11 | | ● 02248 | | | ● 02253 | |
| 65,00 x 2,50 | 3,91 | | ● 02254 | | | | |
| 3,50 | 5,39 | | ● 02266 | | | ● 02271 | |
| 70,00 x 2,00 | 3,41 | | ● 02278 | | | ● 02283 | |
| 2,90 | 4,87 | | ● 02290 | | | ● 02295 | |
| 4,00 | 6,61 | | ● 02296 | | | | |

fortsættes på næste side / continued on the next page

Sømløse stålrør
Koldt- eller varmttrukne, glødede og bejdsede eller blankglødet
Seamless steel tubes
Cold or hot finished, annealed and pickled or bright annealed

Tol.: EN 10216-5, EN 10305-1, ISO 1127,
ASTM A312, ANSI B 36.19
Cert.: EN 10204/3.1

| Dim. | Kg/m | EN | 1.4301/7 | 1.4541 | 1.4404 | 1.4571 | 1.4435 |
|---------------|-------|----|------------------------|------------------------|------------------------|------------------------|------------------------|
| | | | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. |
| 70,00 x 5,00 | 8,14 | | | ● 02310 | | | |
| 7,00 | 11,04 | | ● 02320 | | | | |
| 73,03 x 3,05 | 5,35 | | | ● 29832 | ● 02336 | | |
| 75,00 x 2,50 | 4,54 | | ● 02362 | | | | |
| 76,00 x 5,00 | 8,89 | | | ● 02376 | | | |
| 76,10 x 2,00 | 3,71 | | ● 02398 | | | ● 02403 | |
| 2,60 | 4,79 | | ● 02404 | ● 02406 | | ● 02409 | |
| 2,90 | 5,32 | | ● 02410 | ● 29817 | | ● 02415 | |
| 3,60 | 6,54 | | ● 02422 | ● 02424 | | ● 02427 | |
| 4,00 | 7,22 | | | ● 02430 | | | |
| 4,50 | 8,07 | | ● 02434 | | | ● 02439 | |
| 5,00 | 8,90 | | | | | ● 29783 | |
| 6,30 | 11,01 | | | ● 02448 | | | |
| 80,00 x 2,00 | 3,91 | | | | | ● 02457 | |
| 2,50 | 4,85 | | ● 02458 | | | | |
| 4,00 | 7,61 | | ● 02464 | | | ● 02469 | |
| 5,00 | 9,39 | | ● 02470 | | | | |
| 83,00 x 3,50 | 6,97 | | | ● 02478 | | | |
| 85,00 x 2,50 | 5,17 | | ● 02506 | | | | |
| 88,90 x 2,00 | 4,35 | | ● 02536 | | | ● 02541 | |
| 2,50 | 5,41 | | | ● 02550 | | ● 02553 | |
| 3,05 | 6,56 | | | ● 29818 | | ● 29774 | |
| 3,20 | 6,87 | | ● 02566 | ● 02568 | | ● 02571 | |
| 4,05 | 8,61 | | ● 02578 | ● 02580 | | ● 02583 | |
| 5,49 | 11,47 | | | ● 29819 | | ● 29775 | |
| 7,62 | 15,51 | | | ● 29820 | | ● 29776 | |
| 95,00 x 2,50 | 5,79 | | | | | | ● 02642 |
| 101,60 x 3,05 | 7,63 | | | ● 29821 | | ● 29777 | |
| 3,60 | 8,83 | | ● 02680 | ● 02682 | | | |
| 4,05 | 9,89 | | ● 02685 | ● 02687 | | | |
| 5,74 | 13,78 | | ● 29796 | | | ● 29778 | |
| 108,00 x 3,00 | 7,89 | | ● 02745 | | | ● 02750 | |
| 4,00 | 10,42 | | ● 02763 | | | ● 02768 | |
| 114,30 x 2,60 | 7,27 | | | ● 02819 | | ● 02822 | |
| 3,05 | 8,50 | | | ● 29822 | | ● 29779 | |
| 3,60 | 9,98 | | ● 02841 | ● 02843 | | ● 02846 | |
| 4,50 | 12,37 | | ● 02847 | ● 02849 | | ● 02852 | |
| 6,02 | 16,32 | | | ● 29823 | | ● 29780 | |
| 8,56 | 22,67 | | | ● 29824 | | ● 29781 | |
| 121,00 x 4,00 | 11,72 | | | ● 02879 | | | |
| 127,00 x 4,00 | 12,32 | | | ● 02885 | | | |
| 133,00 x 4,00 | 12,92 | | | ● 02891 | | ● 02894 | |
| 5,00 | 16,03 | | | ● 02897 | | | |

fortsættes på næste side / continued on the next page

Sømløse stålrør
 Koldt- eller varmttrukne, glødede og bejsede eller blankglødet
 Seamless steel tubes
 Cold or hot finished, annealed and pickled or bright annealed

Tol.: EN 10216-5, EN 10305-1, ISO 1127,
 ASTM A312, ANSI B 36.19
 Cert.: EN 10204/3.1

| Dim. | Kg/m | EN | 1.4301/7 | 1.4541 | 1.4404 | 1.4571 | 1.4435 |
|----------------|-------|----|------------------------|------------------------|------------------------|------------------------|------------------------|
| | | | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. | Varenr. Article no. |
| 139,70 x 4,00 | 13,59 | | | ● 02903 | | ● 02906 | |
| 141,30 x 6,55 | 22,10 | | | ● 29833 | | | |
| 159,00 x 4,50 | 17,41 | | | ● 02927 | | ● 02930 | |
| 168,30 x 4,50 | 18,46 | | | ● 02951 | | ● 02954 | |
| 5,00 | 20,45 | | | | | ● 02960 | |
| 7,11 | 28,70 | | | ● 29804 | | ● 29784 | |
| 219,10 x 12,70 | 65,64 | | | ● 29826 | | ● 29763 | |
| 6,30 | 33,57 | | | | | ● 29762 | |
| 8,18 | 43,20 | | | ● 29806 | | ● 29764 | |